

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1	("application server" near3 address) and (@ad<"20011129") and ("smart card") and ("port number")	US-PGPUB; USPAT	OR	ON	2005/08/09 13:12
L2	36	("application server" near3 address) and (@ad<"20011129") and (709/217)	US-PGPUB; USPAT	OR	ON	2005/08/09 13:28
L3	22	L2 and (smart card)	US-PGPUB; USPAT	OR	ON	2005/08/09 13:29
L4	2	L2 and ("smart card")	US-PGPUB; USPAT	OR	ON	2005/08/09 14:01
L5	1	"20030084177"	US-PGPUB; USPAT	OR	ON	2005/08/09 14:13
S1	15333	(access\$3 near4 application\$1) and ("application server" near4 address\$3 ID identification\$1) and (@ad<"20011129")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/08 09:30
S2	334	S1 and (mobile adj3 terminal\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/08 09:02
S3	31676	(address\$2 adj3 "application server" "application servers" gateway\$1) and (@ad<"20011129")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/08 09:32
S4	25747	S3 and (transfer\$3 send\$3 transmit\$4 near4 ("application ID" "application identification" "server ID" "server identification"))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/08 09:35
S5	924	S4 and (709/217) and (mobile wireless laptop\$1 pda\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/08 09:39
S6	31724	(address\$2 adj3 "application server" "application servers" gateway\$1) and (@ad<"20011129")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/09 07:34
S7	25791	S6 and (transfer\$3 send\$3 transmit\$4 near4 ("application ID" "application identification" "server ID" "server identification"))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/09 07:34
S8	929	S7 and (709/217) and (mobile wireless laptop\$1 pda\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/09 07:34

S9	398	S8 and (authenticat\$4 credential\$3 password\$1 login)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/09 11:55
S10	1	("6112244").pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/09 08:03
S11	37	("application server" near3 address) and (@ad<"20011129") and (709/219)	US-PGPUB; USPAT	OR	ON	2005/08/09 09:34
S12	36	("application server" near3 address) and (@ad<"20011129") and (709/217)	US-PGPUB; USPAT	OR	ON	2005/08/09 12:18
S13	32	("application server" near3 address) and (@ad<"20011129") and (709/218)	US-PGPUB; USPAT	OR	ON	2005/08/09 08:05
S14	1501	flex and motorola	US-PGPUB; USPAT	OR	ON	2005/08/09 09:37
S15	75	"flex protocol" and motorola	US-PGPUB; USPAT	OR	ON	2005/08/09 11:05
S16	1	"20020123335"	US-PGPUB; USPAT	OR	ON	2005/08/09 11:40
S17	1	"20020068554"	US-PGPUB; USPAT	OR	ON	2005/08/09 11:46
S18	36	("application server" near3 address) and (@ad<"20011129") and (709/217)	US-PGPUB; USPAT	OR	ON	2005/08/09 11:46
S19	22	S18 and (smart card)	US-PGPUB; USPAT	OR	ON	2005/08/09 11:49
S20	2	S19 and ("port number")	US-PGPUB; USPAT	OR	ON	2005/08/09 11:47
S21	0	S18 and ("smart card") and ("port number")	US-PGPUB; USPAT	OR	ON	2005/08/09 11:48
S22	2	S18 and ("smart card")	US-PGPUB; USPAT	OR	ON	2005/08/09 11:49
S23	31724	(address\$2 adj3 "application server" "application servers" gateway\$1) and (@ad<"20011129")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/09 11:57
S24	25791	S23 and (transfer\$3 send\$3 transmit\$4 near4 ("application ID" "application identification" "server ID" "server identification"))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/09 11:57
S25	929	S24 and (709/217) and (mobile wireless laptop\$1 pda\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/09 11:57

S26	398	S25 and (authenticat\$4 credential\$3 password\$1 login) .	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/09 11:57
S27	5	S26 and ("smart card") and ("port number")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/09 11:57